EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"lauckhart, gregory".in. and "horman, craig".in. and "korol, christa".in. and "bartot, james".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 10:34
S2	297	709/200.ccls. and (@py<"2001" or @rlad<"2001" or @ad<"2001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 10:37
S4	38	(@py<"2001" or @rlad<"2001" or @ad<"2001") and "709"/$3.ccls. and ((extrapolat$5 or deriv$5 or estimat$5 or determin$5) with traffic near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 10:48
S5	11	(@py<"2001" or @rlad<"2001" or @ad<"2001") and "709"/$3.ccls. and ((extrapolat$5 or deriv$5 or estimat$5 or scal$4) with traffic near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 10:51
S6	33	(@py<"2001" or @rlad<"2001" or @ad<"2001") and "709"/$3.ccls. and ((extrapolat$5 or scal$4) with traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:11
S7	1313	(@py<"2001" or @rlad<"2001" or @ad<"2001") and nielsen.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 10:55
S8	1	(@py<"2001" or @rlad<"2001" or @ad<"2001") and nielsen.as. and (extrapolat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:07
S9	1	(@py<"2001" or @rlad<"2001" or @ad<"2001") and nielsen.as. and (network with traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 10:57
S10	29	(@py<"2001" or @rlad<"2001" or @ad<"2001") and nielsen.as. and scale	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 10:59

EAST Search History

S11	77	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (extrapolat$4 or scale) with data with global	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:02
S12	23	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (extrapolat$4 or scale) near6 data near6 global	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:03
S13	0	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (extrapolat$4) near6 data near6 global	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:03
S14	2611	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (extrapolat$4) near6 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:03
S15	2005	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (extrapolat$4) near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 12:43
S16	2	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (extrapolat$4) near3 data same (weighting with factor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:04
S17	5	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (extrapolat$4) near3 data same (weigh$4 with factor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:04
S18	2	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (audience with size) with (extrapolat$4 or scal$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:05
S19	3	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (audience with size) same (extrapolat$4 or scal$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:06
S20	77	(@py<"2001" or @rlad<"2001" or @ad<"2001") and ((audience or viewer) with size) same (extrapolat$4 or scal$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:06

S21	60	(@py<"2001" or @rlad<"2001" or @ad<"2001") and nielsen.as. and audience	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:07
S22	0	(@py<"2001" or @rlad<"2001" or @ad<"2001") and nielsen.as. and audience ans (scal$4 or extrapolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:19
S23	3	(@py<"2001" or @rlad<"2001" or @ad<"2001") and nielsen.as. and audience and (scal$4 or extrapolat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:16
S24	2	"5918014".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:16
S25	18150	(@py<"2001" or @rlad<"2001" or @ad<"2001") and extrapola$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 11:22
S26	55	(@py<"2001" or @rlad<"2001" or @ad<"2001") and extrapola$7 with (population or viewer$5 or audience)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 12:35
S27	3	"6601100".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 12:35
S28	2	"5995943".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 12:36
S32	94	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (extrapolat$4) near3 (data or result) and (track$4 or monitor$4) with (traffic or view$4 or audience)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 12:49
S33	12	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (extrapolat$4) near3 (data or result) and (track$4 or monitor$4) with (traffic or view$4 or audience) and (survey)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 12:50

EAST Search History

S34	1012	(@py<"2001" or @rlad<"2001" or @ad<"2001") and(track$4 or monitor$4) with (traffic or view$4 or audience) and (survey)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:22
S35	74	(@py<"2001" or @rlad<"2001" or @ad<"2001") and(track$4 or monitor$4) with (traffic or view$4 or audience) and (survey) and (network with traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 12:56
S36	17	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (extrapolat$6 with sample with size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 12:57
S37	10	(US-20050235030-$).did. or (US-6112238-$ or US-6061331-$ or US-6108637-$ or US-6034697-$ or US-5918014-$ or US-6058325-$ or US-5878426-$ or US-6601100-$ or US-5995943-$).did.	US-PGPUB; USPAT	AND	ON	2007/05/31 13:09
S38	1	S37 and (project with pattern)	US-PGPUB; USPAT	AND	ON	2007/05/31 14:17
S39	6	S37 and (pattern)	US-PGPUB; USPAT	AND	ON	2007/05/31 13:09
S40	2	S37 and (general with population)	US-PGPUB; USPAT	AND	ON	2007/05/31 13:10
S41	7	S37 and (project$4 or population or pattern)	US-PGPUB; USPAT	AND	ON	2007/05/31 13:11
S42	4	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (project$4 with population with pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:12
S43	9	(@py<"2001" or @rlad<"2001" or @ad<"2001") and ((project$4 or infer$4 or deduc$4 or imply or implicat$3) with population with pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:26
S44	41610	(@py<"2001" or @rlad<"2001" or @ad<"2001") and ((project$4 or infer$4 or deduc$4 or imply or implicat$3) with pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:13
S45	2	"5446919".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:20

S46	10	"5446919".pn. or "5636346".pn. or "5717923".pn. or "5848396".pn. or "5867226".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:22
S47	36	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (demographic$4) and (representative near3 sample)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:24
S48	0	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (demographic$4).ab. and (representative near3 sample).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:24
S49	1556	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (representative near3 sample).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:24
S50	13	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (representative near3 sample with population).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:24
S51	3564	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (random near2 sampl$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:27
S52	541	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (random near2 sampl$4).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:27
S53	7	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (random near2 sampl$4 same population).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:29
S54	11	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (representative near2 sampl$4 same population).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:30
S55	138	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (representative near2 sampl$4 same population)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/31 13:30

S56	9	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (representative near2 sampl$4) same ((larger or bigger or general or world or global) with population)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 13:34
S57	1	S37 and (probe adj map)	US-PGPUB; USPAT	AND	ON	2007/05/31 15:28
S59	3	S37 and ((index) or ((web or internet) near2 crawler))	US-PGPUB; USPAT	AND	ON	2007/05/31 16:01
S60	9	S37 and (interface or rate or fee)	US-PGPUB; USPAT	AND	ON	2007/05/31 16:07
S61	3	S37 and (graphical with interface)	US-PGPUB; USPAT	AND	ON	2007/05/31 16:17
S62	6	S37 and (user with interface)	US-PGPUB; USPAT	AND	ON	2007/05/31 16:19
S63	8	S37 and (rate or fee or charge or bill)	US-PGPUB; USPAT	AND	ON	2007/05/31 16:46
S64	6	S37 and (unique$8 or duplic$8 or copy)	US-PGPUB; USPAT	AND	ON	2007/05/31 16:59
S65	1	S37 and normaliz$4 and hierarch$7	US-PGPUB; USPAT	AND	ON	2007/05/31 17:01
S66	1	S37 and normaliz$4 and hierarch$7 and area	US-PGPUB; USPAT	AND	ON	2007/05/31 17:36
S67	1	S37 and (prevalence)	US-PGPUB; USPAT	AND	ON	2007/05/31 18:06
S68	3	S37 and (anonym$9 or hash or XML or (data near5 integrity))	US-PGPUB; USPAT	AND	ON	2007/05/31 18:09
S69	4	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (anonymiz$6 with (data or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 13:37
S70	11	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (remov$4 or delet$4 or clear$4) with (personal$4 near2 identif$6) with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 13:40
S71	18	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (remov$4 or delet$4 or clear$4 or cleans$4) near5 (personal$4 near2 identifi$6) near3 (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 13:42

S72	253	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (remov$4 or delet$4 or clear$4 or cleans$4) near5 ((personal$4 near2 identifi$6) or confidential or private or (credit adj card) or (social adj security)) near3 (data or information or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 13:44
S73	25	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (remov$4 or delet$4 or clear$4 or cleans$4) near5 ((personal$4 near2 identifi$6) or confidential or private or (credit adj card) or (social adj security)) near3 (data or information or number) same (network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 13:47
S74	7	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (anonymou$6 near5 network near3 (traffic or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:41
S75	9	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (anonym$8 near5 network near3 (traffic or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 14:21
S76	11	(@py<"2001" or @rlad<"2001" or @ad<"2001") and ((anonym$8 or ((remov$4 or delet$4) near3 (name or identity or id))) near5 network near3 (traffic or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 14:23
S77	4	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (anonymiz$4 near4 (data or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 14:39
S78	342	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (encrypt$5 or hash$4) with (user near2 (identification or id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 14:40
S79	20	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (encrypt$5 or hash$4) with (user near2 (identification or id)) and "709"/$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 14:40
S80	4	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (encrypt$5 or hash$4) with (user near2 (identification or id)) and "709"/$3. ccls. and (hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 14:42

S81	74	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (encrypt$5 or hash$4) with (user near2 (identification or id)) and (hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 14:43
S82	102	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (encrypt$5 or hash$4) with (user near2 (identifi$8 or id)) and (hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 14:45
S83	49	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (encrypt$5 or hash$4) near4 (user near2 (identifi$8 or id)) and (hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 14:53
S84	32	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (encrypt$5 or hash$4) near4 (user near2 (identifi$8 or id)) and (hash$4 near4 (id or identif$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 14:51
S85	1	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (encrypt$5 or hash$4) near4 (user near2 (identifi$8 or id)) with anonym$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 15:33
S86	4	(@py<"2001" or @rlad<"2001" or @ad<"2001") and anonym$8 with hash$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 14:54
S87	21	(US-20050235030-$).did. or (US-6112238-$ or US-6061331-$ or US-6108637-$ or US-6034697-$ or US-5918014-$ or US-6058325-$ or US-5878426-$ or US-6601100-$ or US-5995943-$ or US-5446919-$ or US-5717923-$ or US-5848396-$ or US-5867226-$ or US-5784635-$ or US-5978918-$ or US-5371797-$ or US-6006328-$ or US-6061734-$ or US-5689566-$).did. or (WO-9966692-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2007/06/01 15:01
S88	4	S87 and (CGI OR Javascript or Perl)	US-PGPUB; USPAT; DERWENT	AND	ON	2007/06/01 15:23
S91	56	(@py<"2001" or @rlad<"2001" or @ad<"2001") and ((web or internet or network) near2 crawler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 15:41

S92	0	(@py<"2001" or @rlad<"2001" or @ad<"2001") and ((web or internet or network) near2 crawler) same ((unique or frequency) near3 occurrence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 15:34
S93	3	(@py<"2001" or @rlad<"2001" or @ad<"2001") and ((web or internet or network) near2 crawler) same (unique$5 or frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 15:36
S94	3	S93 and (unique$4 or duplicat$5 or overwrit$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 15:41
S95	12	S87 and (unique$4 or duplicat$5 or overwrit$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 15:40
S96	34	(@py<"2001" or @rlad<"2001" or @ad<"2001") and ((web or internet or network) near2 crawler) and (unique$4 or duplicat$5 or overwrit$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:00
S97	3458	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (unique$4 or duplicat$5 or overwrit$5) with (database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:01
S98	250	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (unique$4 or duplicat$5 or overwrit$5) with (database) and ((record$4 or indicat$4 or counting$4) near4 duplicat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:03
S99	160	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (duplicat$5) with (database) and ((record$4 or indicat$4 or counting$4) near4 duplicat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:04
S101	0	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (database with collision) and (record near3 number near3 collision)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:05

S10 2	53	(@py<"2001" or @rlad<"2001" or @ad<"2001") and database with detect$4 with duplicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:12
S10 3	26	(@py<"2001" or @rlad<"2001" or @ad<"2001") and database near5 detect$4 near5 duplicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:14
S10 6	0	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (database near5 detect$4 near5 duplicat$4) and ((number or count) near5 occurrences)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:13
S10 7	1037	(@py<"2001" or @rlad<"2001" or @ad<"2001") and database and (record or note or index or label) near4 (duplicat$4 or unique$4) near3 (item or record or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:15
S10 8	978	(@py<"2001" or @rlad<"2001" or @ad<"2001") and database and (record$3) near4 (duplicat$4 or unique$4) near3 (item or record or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:15
S10 9	236	(@py<"2001" or @rlad<"2001" or @ad<"2001") and database with record$3 near4 (duplicat$4 or unique$4) near3 (item or record or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:17
S11 0	1	(@py<"2001" or @rlad<"2001" or @ad<"2001") and database with record$3 near4 (duplicat$4 or unique$4) near3 (item or record or data) with count	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:15
S11 1	1	(@py<"2001" or @rlad<"2001" or @ad<"2001") and database same (duplicate adj count)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:16
S11 2	53	(@py<"2001" or @rlad<"2001" or @ad<"2001") and database with record$3 near4 (duplicat$4) near3 (item or record or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:25

EAST Search History

S11 3	26	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (web near2 browser) same (cache) same (duplicat$5 or cached or previous$5) near4 (image or data or page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:28
S11 4	0	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (web near2 browser) same (cache) same (duplicat$5 or cached or previous$5) near4 (image or data or page) and (record$4 with cache with hits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:27
S11 5	1	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (web near2 browser) same (cache) same (duplicat$5 or cached or previous$5) near4 (image or data or page) and (cache with hits) -	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:27
S11 6	6	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (web near2 browser) same (cache) same (duplicat$5 or cached or previous$5) near4 (image or data or page) and (cache with (hit or age))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:29
S11 7	26	(US-20050235030-$).did. or (US-6112238-$ or US-6061331-$ or US-6108637-$ or US-6034697-$ or US-5918014-$ or US-6058325-$ or US-5878426-$ or US-6601100-$ or US-5995943-$ or US-5446919-$ or US-5717923-$ or US-5848396-$ or US-5867226-$ or US-5784635-$ or US-5978918-$ or US-5371797-$ or US-6006328-$ or US-6061734-$ or US-5689566-$ or US-6102969-$ or US-6101491-$ or US-6119096-$ or US-6154742-$ or US-5878213-$). did. or (WO-9966692-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2007/06/01 16:40
S11 8	0	S117 and (database near2 integrity with (check$4 or monitor$4 or ensur$4))	US-PGPUB; USPAT; DERWENT	AND	ON	2007/06/01 16:41
S11 9	1	S117 and ((database or data) near2 integrity with (check$4 or monitor$4 or ensur$4))	US-PGPUB; USPAT; DERWENT	AND	ON	2007/06/01 16:41
S12 0	2510	(@py<"2001" or @rlad<"2001" or @ad<"2001") and ((database or data) near2 integrity with (check$4 or monitor$4 or ensur$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:41

S12 1	2127	(@py<"2001" or @rlad<"2001" or @ad<"2001") and ((database or data) near2 integrity near4 (check$4 or monitor$4 or ensur$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:42
S12 2	136	(@py<"2001" or @rlad<"2001" or @ad<"2001") and ((database or data) near2 integrity near4 (check$4 or monitor$4 or ensur$4)) and "709"/$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:48
S12 3	0	(@py<"2001" or @rlad<"2001" or @ad<"2001") and ((database or data) near2 integrity near4 (check$4 or monitor$4 or ensur$4)) and "709"/$3.ccls. and prevalence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:43
S12 4	3	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (normaliz$4 near4 (HTML or XML))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:49
S12 5	3	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (normaliz$4 near8 (HTML or XML))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:53
S12 6	20	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (database with prevalence)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:55
S12 8	5	(@py<"2001" or @rlad<"2001" or @ad<"2001") and (data with prevalence with estimat$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 16:55
S12 9	1	"Jupiter Media Metrix".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/06/01 17:04